



# BLUEBLADE

## 3-in-1 Commercial Mulching Blades



**ComponentsPlus™ BlueBlade Lawn Mower Blades** are designed to provide you with a superior cut that shreds, bags, and discharges your grass clippings. BlueBlade Lawn Mower Blades are the best mulching blade you can mount on your mower.



- **Unrivaled Strength – Built with 3TPlus™ heat-treatment technology for the strongest mulching blade in the industry**
- **30% Longer Life – Designed to outlast standard blades**
- **Precision Tested – Meets and exceeds OEM specifications**
- **Built to Resist – Superior resistance to bending and tooth wear**
- **Edge Retention – Keeps a sharper cutting edge longer than competitors**

## **BLUEBLADE SIGNATURE** 3-in-1 MULCHING BLADE

- **Powerful mulching, shredding, and discharging all in one high-performance blade.**
- **Airlift system that lifts and straightens the grass before cutting it, for better cutting results.**
- **Superior mulching teeth configuration and hardness to produce finer clippings, for longer**
- **Available in premium strength 51-60 and enhanced 10B-38 Boron**




**BLUEBLADE**

# **BLUEBLADE ULTRACUT+**

## **4-in-1 REVERSE LIFT MULCHING BLADE**



- **Powerful mulching, shredding, bagging, and discharging all in one high-performance blade.**
- **Cuts grass in a traditional fashion. Grass is cut on the outer part of the blade.**
- **Shreds grass as the clippings pass through the airlift teeth.**
- **Directs grass toward the center of the deck.**
- **Reverse Lift feature creates turbulence which pushes the clippings down and outward towards the airlift teeth, essentially cutting the clippings again.**
- **The clippings then begin the cutting process again with each blade rotation until the finely cut clippings drop to the surface, discharge or collect in the bagging unit.**
- **Available in premium strength 51-60 and enhanced 10B-38 Boron**





# MACHINE FITMENT

Blue Blade # (no material code)	Length in (mm)	Hole in (mm)	OEM Fitment
CP0743063A050R	15.45" (392mm)	0.632 (16mm)	TORO
CP1063063A000R	16.25" (412mm)	0.632 (16mm)	Bobcat, Exmark, Ferris, John Deere, Snapper
CP1163063A000R	16.5" (419mm)	0.632 (16mm)	John Deere, SCAG, Snapper, TORO
CP1343069A000R	17" (432mm)	0.690 (17.5mm)	Dixon, Dixie Chopper, AYP
CP1363063A000R	17" (432mm)	0.632 (16mm)	Dixie Chopper, Dixon
CP1763063A000R	18" (457mm)	0.632 (16mm)	Ariens, AYP, Bobcat, Exmark, Ferris, John Deere, SCAG
CP2063063A000R	18.75" (476mm)	0.632 (16mm)	TORO
CP2163051A050R	19" (483mm)	0.507 (13mm)	Groundsmaster, Triflex
CP2563063A000R	20" (508cm)	0.632 (16mm)	Encore, SCAG
CP2763063A000R	20.5" (520mm)	0.632 (16mm)	Ariens, Bobcat, Dixie Chopper, Exmark, TORO
CP2963063A000R	21" (533mm)	0.632 (16mm)	Ariens, AYP, Bobcat, Ferris, Snapper,
CP3263051A075R	21.75"(552mm)	0.507 (13mm)	Groundsmaster
CP3363091A075R	21.96" (558mm)	0.905 (23mm)	John Deere
CP4163063A000R	24" (610mm)	0.632 (16mm)	LESCO
CP4263063A000R	24.16" (614mm)	0.632 (16mm)	Bobcat
CP4363063A000R	24.5" (622mm)	0.632 (16mm)	Dixon, Ferris, SCAG,
CP4563063A000R	25" (635mm)	0.632 (16mm)	Ferris, Lastic
CP4563051A050R	25.18" (640mm)	0.507 (13mm)	Groundsmaster
CP4963063A000R	26" (660mm)	0.632 (16mm)	LESCO
CP5363051A075R	27" (686mm)	0.507 (13mm)	Groundsmaster

\*see pricelist for more detail



# PART NUMBER KEY

Length (inch)	1st-2nd digits	Thick-ness	3rd digit	Width	4th digit	Hole size	5,6,7th digits	Side holes	8th digit	Offset	9,10,11th digits	Direction of blade	12th digit	Blade Type	13, 14 <sup>th</sup> digits
14	01	0.134	0	2	1	0.125	125	No side holes	A	Flat	000	Right hand / Clockwise rotation	R	UltraCut+ (51-60)	U
14.25	02	0.156	1	2.25	2	0.39	039	Side Holes	B	0.25	025				
14.5	03	0.165	2	2.5	3	0.44	044			0.4	040				
14.75	04	0.187	3	2.75	4	0.51	051	Star hole	Z	0.5	050	Left hand / Clockwise rotation	L	Signature (Terminator) (51-60)	T
15	05	0.197	4	3	5	0.63	063			0.625	062				
15.25	06	0.237	5			0.69	069			0.75	075				
15.5	07	0.25	6			0.7	070			1.00	100				
15.75	08	0.312	7			0.8	080								
16	09					0.82	082								
16.25	10					0.91	091							UltraCut+ (10B-38 Boron)	UB
16.5	11					0.94	094							Signature (Terminator) (10B-38 Boron)	TB
16.75	12					1.01	101								
17	13					1.07	107								
17.25	14					1.13	113								
17.5	15					1.23	123								
17.75	16														
18	17														
18.25	18														
18.5	19														
18.75	20														
19	21														
19.25	22														
19.5	23														
19.75	24														
20	25														
20.25	26														
20.5	27														
20.75	28														
21	29														
21.25	30														
21.5	31														
21.75	32														
22	33														
22.25	34														
22.5	35														
22.75	36														
23	37														
23.25	38														
23.5	39														
23.75	40														
24	41														

\*see pricelist for more detail



202 Industrial Drive, Columbus, WI, United States, Wisconsin

***ComponentsPlus™*** was established in 2002, in Watertown, Wisconsin by owner Rick Wilkey and his family. Rick has 30 plus years in the manufacturing field starting his own line of lawn mower blades and Skid Steer Tracks. The company has expanded since 2002 and has moved to Columbus, Wisconsin. Since moving ComponentsPlus™ continues to strive as a metal fabrication business, manufacturing numerous products for several industries.

***ComponentsPlus™*** offers a multitude of services and products including heat treating services using their 3TPlus process, TracksPlus Skid Steer Tracks, and BlueBlade Lawn Mower Blades.

At ***ComponentsPlus™*** we take great pride in offering you quality service and quality products. We take the time to ensure our customers are happy and satisfied with every purchase.



**TRACKS**  
**plus**

**BLUEBLADE**